Sample Paper - 3 MATHEMATICS

(With Answers)

CLASS X

[Time Allowed: 3 Hours] [Maximum Marks: 80]

General Instructions:

- (i) All questions are compulsory.
- (ii) The question paper consists of 30 questions divided into four sections A, B; C and D.
- (iii) Section A contains 6 questions of 1 mark each, Section B contains 6 questions of 2 marks each, Section C contains 10 questions of 3 "marks each and Section D contains 8 questions of 4 marks each-
- (iv) There is no overall choice.
- (v) Use of calculators is not permitted.

Section 'A'

Question numbers 1 to 6 carry 1 mark each.

1. Find the values of m and n for which the following system of linear equations has infinitely many solutions:

$$3x + 4y = 12$$
$$(m+n)x + 2(m-n)y = (5m-1)$$

2. Find the median of the following data:


| x | 10 | 20 | 30 | 40 | 50 |
|---|----|----|----|----|----|
| f | 2 | 3 | 2 | 3 | 1 |

- 3. If $\tan x = \sin 45^{\circ} \cos 45^{\circ} + \sin 30^{\circ}$, then find the value of x.
- **4.** If $\sin \theta = \frac{a}{b}$, then find $\cos \theta$.
- **5.** If the surface areas of two spheres are in the ratio 9: 16, then find the ratio of their radii.
- **6.** Find the sum of all natural numbers from 1 to 100.

Section 'B'

Question numbers 7 to 12 carry 2 marks each.

- 7. Prove that in two concentric circles, the chord of the larger circle, which touches the smaller circle is bisected at the point of contact.
- 8. Find the area of the sector of a circle with radius 4 cm and of angle 30°. Also, find the area of the corresponding major sector. [Use $\pi = 3.14$]



- 9. If the 10th term of an A.P. is 47 and its first term is 2, find the sum of its 15 terms
- 10. Find the value of p so that the quadratic equation px(x-3) + 9 = 0 has two equal roots.
- 11. Three coins are tossed simultaneously, find the probability of getting exactly one head.
- 12. Explain why $(5 \times 7 \times 13 + 7)$ is a composite number.

Section 'C'

Question numbers 13 to 22 carry 3 marks each.

- 13. AD is an altitude of an equilateral triangle ABC. On AD as base another equilateral triangle ADE is constructed. Prove .that $ar(\Delta MDE)$: $ar(\Delta ABC)$ = 3 : 4.
- **14.** In an equilateral triangle ABC, D is a point on side BC such that $BD = \frac{1}{3}BC$. Prove that $9AD^2 = 7AB^2$.
- 15. Prove that: $\frac{\tan A}{1-\cot A} + \frac{\cot A}{1-\tan A} = 1 + \sec A. \csc A.$
- 16. Prove that: $\frac{\sin \theta \cos \theta + 1}{\sin \theta + \cos \theta 1} = \frac{1}{\sec \theta \tan \theta}$

- 17. If α and β are the zeroes of the quadratic polynomial : $p(x) 3x^2 4x + 1$, find a quadratic polynomial whose zeroes are $\frac{\alpha^2}{\beta}$ and $\frac{\beta^2}{\alpha}$.
- 18. Construct a $\triangle ABC$ in which BC = 6.5 cm, AB = 4.5 cm and $\triangle ACB = 60^{\circ}$. Construct another triangle similar to $\triangle ABC$ such that each side of new triangle is $\frac{4}{5}$ of the corresponding sides of $\triangle ABC$.
- **19.** Solve the following pair of equations graphically and find the vertices of the triangle formed by these lines and the *x*-axis:

$$4x-3y+4=0$$
, $4x+3y-20=0$.

- 20. Find the coordinates of the points which divide the line segment joining A(2, -3) and B(-4, -6) in to three equal parts.
- 21. Find the area of the quadrilateral *ABCD* whose vertices are A(3, -1), B(9, -5), C(14, 0) and D(9, 19).
- 22. A hemispherical bowl of internal diameter 30 cm contains some liquid. This liquid is to be filled into cylindrical shaped bottles each of diameter 5 cm and height 6 cm. Find the number of bottles necessary to empty the bowl.

Section 'D'

Question numbers 23 to 30 carry 4 marks each.

- 23. A train travelling a distance of 1200 km at a constant speed. When driver of the train learnt that he is getting late, he increased the speed by 5 km per hour. Now the journey took 8 hours less and reached in time. Find the original speed of the train.
- 24. How many multiples of 4 lie between 10 and 250? Also find their sum.
- 25. Prove that the tangent at any point of a circle is perpendicular to the radius through the point of contact.
- 26. The angle of elevation of the top of a vertical tower from a point on the ground is 60°. From another point 10 m vertically above the first, its angle of elevation is 30°. Find the height of the tower.
- 27. The king, queen and jack of clubs are removed from a deck of 52 playing cards, and the remaining cards are shuffled. A card is drawn from the remaining cards. Find the probability of getting a card of (i) heart (ii) queen (iii) club.

28. The mean of the following frequency distribution is 25.2 and total frequency is 50. Find the missing frequencies *x* and *y*.

| C.I. | 0 – 10 | 10 – 20 | 20 – 30 | 30 – 40 | 40 – 50 |
|-----------|--------|---------|---------|---------|---------|
| Ferquency | 8 | x | 10 | y | 9 |

- 29. Water is flowing at the rate of. 15 km/hour through a pipe of diameter 14 cm into a cuboidal pond which is 50 m long and 44 m wide. In what time will the level of water in the pond rise by 21 cm?
- 30. Show that any positive odd integer is of the form

6q + 1 or 6q + 3 or 6q + 5, where q is a positive integer.

ANSWERS

Section 'A'

1. m = 5 and n = 1

2. 30

3. 45°

 $4. \quad \frac{\sqrt{b^2 - a^2}}{b}$

5. 3 : 4

6. 5050

Section 'B'

8. Area of sector = 4.186 cm^2 , Area of major sector = 46.054 cm^2

9. 555

10. p = 4

11. $\frac{3}{8}$

12. 7 is a factor of the given number. So it is a composite number.

Section 'C

17. $f(x) = k\left(x^2 - \frac{28}{9}x + \frac{1}{3}\right)$, where k is non-zero real number

19. x = 2, y = 4; Vertices of the Δ formed with the x-axis are (5, 0), (2, 4) and (-1,0) respectively.

20. (0, -4), (-2, -5)

21. 182 sq. units

22. Number of bottles = 60

Section 'D'

23. 25 km/h. Yes.

24. $S_{60} = 7800$

26. 15 m

27. $(i)_{49}^{13}(ii)_{49}^{3}(iii)_{49}^{10}$

28. Missing frequencies are x = 12, y = 11

29. 2 hours